Saskatchewan Ministry of Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 23, September 8, 2011

For the Period August 30 to September 5, 2011

Saskatchewan producers have 32 per cent of the 2011 crop combined, right on track with the five-year (2006-2010) provincial average, according to Saskatchewan Agriculture's Weekly Crop Report.

One year ago
Thirteen per cent of the crop had been combined. Significant rainfall throughout most of the province continued to delay harvest.

Thirty-four per cent of the crop is swathed or ready to straight-cut, compared to the five-year average of 31 per cent. Rain in some areas delayed harvest work for a few days, but most producers were able to get back into the fields at the beginning of the week.

Harvest progress varies across the province. The southwest has 46 per cent combined; the southeast 43 per cent; the west-central region 29 per cent; the east-central region 27 per cent; the northeast 19 per cent and the northwest 12 per cent. Seventy-six per cent of the lentils; 81 per cent of the field peas; 91 per cent of the winter wheat; 22 per cent of the durum; 15 per cent of the spring wheat and 28 per cent of the canola have been combined.

Across the province, topsoil moisture on cropland is rated as five per cent surplus, 78 per cent adequate, 16 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as two per cent surplus, 75 per cent adequate, 21 per cent short and two per cent very short.

Farmers are busy harvesting, seeding winter cereals, hauling bales and controlling weeds on unseeded acres.

Harvest Progress in SK Per cent combined	
All Crops	
Sept 5/11	32
5 year avg. (2006-2010)	32
Sept 6/10	13
Sept 7/09	18
Sept 7/08	21
Sept 2/07	44
Sept 3/06	62

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Tel: (306) 694-3592. Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Harvest came to a halt in the region late last week as significant amounts of rain fell on most areas. Most of the precipitation fell over a three-day period. Precipitation ranged from nil to 48 mm for the week, and most areas received more than 20 mm. The Frobisher area received 9 mm, the Stoughton area 31 mm, the Windthorst and Weyburn areas 45 mm, the Broadview area 29 mm, the Whitewood area 40 mm, the Vibank area 25 mm, the Moose Jaw area 19 mm, the Radville area 37 mm and the Ceylon area 48 mm. The Moosomin area has recorded 500 mm of rain since April 1, 2011.

Most producers were able to get back onto the combines and swathers at the beginning of the week. Forty-three per cent of the 2011 crop has been combined. Thirty per cent is swathed or ready to straight-cut. Crop conditions and staging vary throughout the region, depending on the spring's excess moisture and seeding date. Determining crop stage for proper swathing is difficult in fields with variable growth. Crop District (CD) 3ASE is furthest advanced in combining (62 per cent).CD 2B has 51 per cent combined, CD 2A has 50 per cent combined, and CDs 1A and 1B have 37 and 22 per cent of the crop in the bin, respectively.

Topsoil moisture rating on cropland is reported as nine per cent surplus, 80 per cent adequate, nine per cent short and two per cent very short. On hay land and pasture, topsoil moisture is rated as four per cent surplus, 80 per cent adequate, 15 per cent short and one per cent very short.

The majority of crop damage is due to wind blowing swaths around and rain flooding crops. Some producers are concerned about lost quality on those crops that were swathed before the rain. Hail damage ranging from 30 to 100 per cent was reported in the Ceylon area. Harvest progress varies from place to place. Some producers in the Moose Jaw area are hoping to be done harvest in the next week or so. Producers in other areas are expecting a long harvest season as many crops were seeded over a longer period of time. Winter wheat is starting to emerge. Temperatures dipped quite low over the weekend; however, no frost damage was reported.

Producers are busy harvesting, seeding winter cereals, hauling bales and controlling weeds on unseeded acres.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

Rain late in the week slowed harvest operations in the region. Precipitation ranged from 8 to 42 mm, with most areas receiving over 15 mm. The Bengough area reported 14 mm, the Assiniboia area 23 mm, the Spring Valley area 31 mm, the Eyebrow and Gravelbourg areas 19 mm, the Mankota area 39 mm, the Shaunavon area 22 mm, the Vanguard area 16 mm, the Rush Lake area 42 mm, the Kyle area 38 mm, the Maple Creek area 25 mm, the Consul area 15 mm and the Fox Valley area 19 mm. The Mankota area has received 536 mm of rain since April 1, 2011.

Forty-six per cent of the 2011 crop has been combined and 20 per cent is swathed or ready to straight-cut. CD 4B has 80 per cent of the crop combined, 3BN has 55 per cent of the crop combined, CD 3AN 50 per cent, CD 3ASW 33 per cent, CD 3BS 31 per cent and CD 4A has 30 per cent combined. The majority of the pulses have been combined. Producers are waiting on cereals to ripen and swathing canola.

Cropland topsoil moisture is rated as six per cent surplus, 70 per cent adequate and 24 per cent short. Hay land and pasture topsoil moisture conditions are three per cent surplus, 64 per cent adequate and 33 per cent short. Crop Districts 3BS and 3AN are reporting 35 and 30 per cent short on topsoil moisture on cropland.

High winds caused some canola swaths to blow around. Hail damage was reported in the Bengough and Mankota areas. The Mankota area had golf-ball-sized hail causing significant crop and building damage. A light frost was also reported in the Mankota area; however, most producers have indicated very little damage. The recent rain has caused bleaching and downgrading of swathed crops.

Producers are busy harvesting, hauling bales, seeding winter cereals and controlling weeds on unseeded acres.

East-Central Saskatchewan (Crop Districts 5 and 6a)

Harvest was rolling along in the east-central region until four days of rain halted most field activity. Rainfall varied from 8 to 73 mm. The majority of rain fell on CDs 5A and 5B, but most areas received over 25 mm. The Langenburg area recorded 32 mm, the Yorkton area 51 mm, the Goodeve and Kelliher areas 38 mm, the Kamsack area 73 mm, the Rama area 57 mm, the Kelvington area 29 mm, the Bethune area 11 mm, the Earl Grey area 33 mm, the Imperial area 29 mm, the Kenaston area 19 mm and the Leroy area 36 mm.

Twenty-seven per cent of the 2011 crop has been combined and 41 per cent is swathed or ready to straight-cut. Crop District 6A is further advanced in harvest than the eastern part of the region. Earlier seeding and less rain has allowed producers in CD 6A to combine 55 per cent of the crop. In comparison, CD 5A has nine per cent combined and CD 5B has 13 per cent combined.

Topsoil moisture on cropland is reported as seven per cent surplus, 84 per cent adequate and nine per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 81 per cent adequate, 13 per cent short and five per cent very short.

The recent rain has caused lodging, bleaching and downgrading of the mature crops. There were a couple reports of cereals sprouting in the swath. Wind has blown swaths around. Hail damage was reported in the Jedburgh and Earl Grey areas. Swathers and combines were going by Sept. 5 in most areas. Low

temperatures were reported on the weekend, but there were no reports of frost damage. The forecast for the next week or so is looking favourable, so many producers are hoping to get a lot of combining done. Although the rain slowed harvest progress, producers seeding winter wheat in CD 6A are grateful for the rain as the topsoil was dry. Harvest is progressing well in CD 6A with producers having most of the pulses combined. Combining of canola is going well and producers are desiccating and swathing cereals and flax.

Farmers are busy harvesting, hauling bales and controlling weeds on unseeded acres.

West-Central Saskatchewan (Crop Districts 6B and 7)

Harvest was slowed for many producers in mid-week as rain showers rolled though the region. Fortunately, there was significantly less rainfall than was reported in other regions to the south and east. The majority of producers were able to get back into the fields by the weekend. Precipitation ranged from nil to 21 mm, with most areas receiving less than 10 mm. The Hanley area reported 21 mm, the Conquest area 14 mm, the Sonningdale area 2 mm, the Rosetown area 9 mm, the Harris area 5 mm, the Biggar area 12 mm, the Major area 10 mm and the Lanis and Battleford areas 6 mm.

Good harvest progress was made over the week. Twenty-nine per cent of the crop is in the bin and 38 per cent is swathed or ready to straight-cut. CD 6B has 36 per cent combined, CD 7A has 27 per cent combined and CD 7B has 22 per cent combined.

Topsoil moisture on cropland is rated as one per cent surplus, 69 per cent adequate, 29 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 68 per cent adequate, 28 per cent short and three per cent very short. CD 7A is reporting 44 per cent short of topsoil moisture on crop land.

Very little crop damage was reported. Hail damage was reported in the Hanley and Rosetown areas. Due to the dry weather over the past couple of weeks, water trucks are out in the fields with the combines as a fire precaution.

Farmers are busy harvesting and hauling bales.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Rain brought most harvest operations to a stop for a couple of days. Most areas in the northeastern region reported rain ranging from nil to 26 mm, with areas on the eastern side of the region receiving the majority. The Tisdale area reported 16 mm, the Nipawin area 19 mm, the Lake Lenore area 26 mm, the Alvena area 6 mm, the Kinistino area 3 mm, the Prince Albert area 12 mm and the Garrick area 5 mm.

The northeastern region made significant harvest progress at the beginning of the week. Nineteen per cent of the crop is combined and 49 per cent is swathed or ready to straight-cut. The rain showers during the week caused combining delays. Swathers were able to start up again by the weekend. CD 8A has 18 per cent combined, CD 8B has 21 per cent combined and CD 9AE has 19 per cent combined.

Cropland topsoil moisture is rated as 80 per cent adequate, 16 per cent short and four per cent very short. Hay land and pasture topsoil moisture is rated as 76 per cent adequate, 22 per cent short and two per cent very short.

Very little crop damage was reported. Producers are looking forward to a clear and warm week to continue with harvest operations.

Farmers are busy harvesting, hauling bales and seeding winter wheat.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Rain showers during the week slowed the pace of harvest for many producers. Rainfall ranged from nil to 25 mm, with most areas receiving less than 5 mm. The Radisson area received 2 mm, the Hafford area 15 mm, the Rabbit Lake area 5 mm, the Medstead and Meadow Lake areas 13 mm and the St. Walburg area 25 mm. The Dorintosh area has received 550 mm of rain since April 1, 2011, which, according to the Crop Report statistics, is the 2011 rainfall record to date.

Twelve per cent of the 2011 crop has been combined and 33 per cent is swathed or ready to straight-cut. CD 9AW has 17 per cent combined and CD 9B has seven per cent of the crop in the bin.

Topsoil moisture conditions for cropland are two per cent surplus, 93 per cent adequate and five per cent short. Pasture and hay land conditions are one per cent surplus, 81 per cent adequate, 17 per cent short and one per cent very short.

Very little crop damage was reported. Hail was reported in the Rabbit Lake area. Temperatures dipped quite low on the weekend; however, no frost damage was reported. Producers are looking forward to the clear and warm week ahead to help turn the crops. Swathing and desiccating are in full swing and many producers have been combining for a week or so.

Farmers are busy swathing, combining and hauling bales.

Saskatchewan Harvest Progress September 5, 2011

winter wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	3	0	5	92
SW	2	0	6	92
EC	2	3	3	92
WC	6	0	8	86
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Fall rye	% Standing	% in swath	% ready to straight combine	% combined
SE*	0	0	0	92
SW**	0	1	2	64
EC	0	0	2	98
WC	0	0	2	98
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

* 8 per cent is rated as 'other'
**33 per cent rated as 'other'

Spring wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	32	21	24	23
SW	56	8	20	16
EC	55	24	11	10
WC	51	16	17	16
NE	36	17	30	17
NW	71	8	15	6

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	39	14	18	29
SW	45	8	23	24
EC	62	10	13	15
WC	65	10	18	7
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE	67	12	2	19
SW*	51	9	11	22
EC	73	18	2	7
WC	66	26	5	3
NE	65	10	13	12
NW	83	8	6	3

*seven per cent is rated as 'other'

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE*	30	34	2	32
SW	49	4	13	34
EC	38	26	7	29
WC**	47	18	17	17
NE	34	21	11	34
NW	74	10	9	7

*two per cent is rated as 'other'
**one per cent is rated as 'other'

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	4	0	6	90
SW	7	3	4	86
EC	21	0	16	63
WC	11	7	25	58
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	4	0	3	93
SW	9	0	3	88
EC	5	11	14	70
WC	5	3	11	81
NE	19	1	8	72
NW	19	6	13	62

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	11	40	1	48
SW	5	26	2	67
EC	13	59	0	28
WC	10	60	5	25
NE	23	65	0	12
NW	43	49	0	8

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	36	1	0	63
SW	43	11	20	26
EC	47	27	6	20
WC	47	44	5	4
NE	8	63	25	4
NW	N/A	N/A	N/A	N/A

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
SE	97	3	0	0
SW	63	25	7	5
EC	92	0	7	1
WC	85	10	4	1
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Weekly Rainfall

for the week ending September 5, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 7, 2011

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period Aug 30 to Sept 5, 2011

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	N/A	240
	2	Mount Pleasant	N/A	294
	3	Enniskillen	9	351
	33	Moose Creek	NIL	344
	34	Browning	N/A	386
	61	Antler	N/A	305
	63	Moose Mountain	6	353
	64	Brock	7	351
	65	Tecumseh	31	501
1B	91	Maryfield	2	384
	92	Walpole	N/A	282
	95	Golden West	45	396
	122	Martin	5	500
	123	Silverwood	32	392
	124 A	Kingsley	33	353
	125	Chester	N/A	287
	151 A	Rocanville	31	480
	151 B	Rocanville	N/A	394
	153	Willowdale	40	396
	154	Elcapo	N/A	307
	155	Wolseley	26	407
2A	66	Griffin	N/A	316
	67	Weyburn	N/A	472
	68	Brokenshell	31	485
	69	Norton	N/A	366
	97	Wellington	45	458
2B	127 A	Francis	31.5	380
	127 B	Francis	25	284
	129	Bratt's Lake	22	286
	156	Indian Head	33	380
	160 A	Pense	19	200
	160 B	Pense	15	251
	161	Moose Jaw	13	183
	191	Marquis	12	208
3ASE	38 A	Laurier	37	445
	38 B	Laurier	18	451
	39 A	The Gap	28	355
	39 B	The Gap	48	492
	10	Happy Valley	23	508
3ASW	12	Poplar Valley	N/A	332
	40	Bengough	14	503
	42	Willow Bunch	13	416
	43	Old Post	13	421
	44 A	Waverley	N/A	294
	44 B	Waverley	N/A	311
	70	Key West	N/A	348
	71	Excel	23	415
	73 A	Stonehenge	20.8	358
	73 B	Stonehenge	23	390
	74	Wood River	N/A	349
	17	Val Marie	28	530
3AN	18	Lone Tree	N/A	259
	45	Mankota	39	536
	75 A	Pinto Creek	19	356
	75 B	Pinto Creek	15	362
	76 A	Auvergne	17	283
	76 B	Auvergne	12	276
	77	Wise Creek	N/A	276
	78 A	Grassy Creek	22	339
	78 B	Grassy Creek	8	326
	78 C	Grassy Creek	N/A	269
	101	Terrell	31	305
	102	Lake Johnston	18.1	312
	103	Sutton	19	339
	105	Glenbain	14	346
	106	Whiska Creek	16	295
	107	Lac Pelletier	N/A	237
	108	Bone Creek	N/A	307
	134	Shamrock	N/A	270
	164	Chaplin	N/A	302
	193 A	Eyebrow	12	217
	193 B	Eyebrow	19	228
	194	Enfield	N/A	219
	138	Webb	27	236
3BN	166	Excelsior	42	285
	167	Sask. Landing	27.2	323
	168	Riverside	27	227
	226	Victory	N/A	214
	228	Lacadena	28	224
	257	Monet	38	208

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	109	Carmichael	24	308
	110	Piapot	25	164
	111	Maple Creek	N/A	151
	49 A	White Valley	12	226
	49 B	White Valley	12	215
	51	Reno	15	330
	79	Arlington	15	243
4B	139	Gull Lake	N/A	185
	141	Big Stick	21	186
	142	Enterprise	13	203
	169	Pittville	N/A	170
	171	Fox Valley	19	194
	231	Happyland	14	216
5A	183	Fertile Belt	N/A	500
	186	Abernethy	N/A	279
	211	Churchbridge	32	422
	213	Saltcoats	N/A	380
	216	Tullymet	N/A	288
	217	Lipton	28	265
	241	Calder	47	364
	243	Wallace	51	336
	245 A	Garry	35	310
	245 B	Garry	40	419
	245 C	Garry	38	382
	246	Ituna Bon Accord	N/A	296
	247	Kellross	38	314
	248	Touchwood	30	213
5B	271	Cote	73	290
	276	Foam Lake	N/A	42
	277	Emerald	37	306
	305	Invermay	56.5	379
	307	Ellros	41	397
	308	Big Quill	35	216
	333 A	Clayton	N/A	NIL
	333 B	Clayton	N/A	267
	334	Preeceville	N/A	246
	335	Hazel Dell	N/A	285
	336	Sasman	40	330
	337	Lakeview	N/A	282
	338	Lakeside	20	229
	366	Kelvington	29	308
6A	189	Lumsden	11.4	231
	190 A	Dufferin	11	258
	190 B	Dufferin	8	241
	190 C	Dufferin	8	189
	190 D	Dufferin	N/A	197
	219	Longlaketon	33	213
	220	Mckillop	14	209
	221	Sarnia	29.9	263
	222	Craik	24	244
	251	Big Arm	29	246
	252	Arm River	27	210
	279	Mount Hope	26	261
	280	Wreford	N/A	224
	282	Mccraney	19	261
	309	Prairie Rose	17	228
	313	Lost River	N/A	150
	339	Leroy	36	225
	340	Wolverine	39	219
	341	Viscount	N/A	205
	343	Blucher	5	175
6B	283	Rosedale	21	150
	284	Rudy	18	261
	285	Fertile Valley	14	248
	286	Milden	N/A	342
	314	Dundurn	12	219
	344	Corman Park	9	264
	346	Perdue	N/A	315
	376 A	Eagle Creek	N/A	252
	376 B	Eagle Creek	2	259
	403	Rosthern	NIL	257
7A	260 A	Newcombe	N/A	102
	260 B	Newcombe	N/A	214
	261	Chesterfield	N/A	58
	287	St. Andrews	9	219
	288	Pleasant Valley	9	168
	290 A	Kindersley	9.1	195
	290 B	Kindersley	N/A	66
	292	Milton	N/A	180
	317 A	Marriott	NIL	318
	317 B	Marriott	5	306
	318 B	Mountain View	7	284
	320 A	Oakdale	5	261
	320 B	Oakdale	8	205
	321	Prairiedale	N/A	257

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7B	347 A	Biggar	2	262
	347 B	Biggar	12	279
	350 A	Mariposa	5	220
	350 B	Mariposa	9	261
	351	Progress	4	225
	352	Heart's Hill	10	309
	377	Glenside	NIL	293
	378 A	Rosemount	7	287
	378 B	Rosemount	4	282
	379	Reford	6	251
	380	Tramping Lake	2	182
	381	Grass Lake	N/A	221
	409 A	Buffalo	6	248
	409 B	Buffalo	5	247
	410	Round Valley	N/A	295
	411	Senlac	N/A	248
8A	396	Porcupine	N/A	279
	397	Barrier Valley	15.7	287
	428	Star City	N/A	178
	456	Arborfield	4	239
	457	Connaught	N/A	282
	458	Willow Creek	5	293
	486	Moose Range	19	247
	487	Nipawin	2	223
8B	369	St. Peter	26	121
	370	Humboldt	19	191
	371 A	Bayne	4	205
	372	Grant	2.8	280
	402	Fish Creek	6	298
	429	Flett's Springs	2	254
	459	Kinistino	3	246
	460	Birch Hills	N/A	327
9AE	461	Prince Albert	12	267
	488 A	Torch River	5	349
	488 B	Torch River	N/A	NIL
	491	Buckland	N/A	218
9AW	406	Mayfield	2	222
	435	Redberry	15	276
	436	Douglas	2	231
	463	Duck Lake	N/A	247
	464	Leask	16	323
	467 A	Round Hill	5	177
	467 B	Round Hill	5	240
	494	Canwood	1.5	383
	496	Spiritwood	N/A	53
	497	Medstead	13	193
9B	438	Battle River	NIL	240
	440	Hillsdale	N/A	190
	442	Manitou Lake	N/A	250
	468 A	Meota	N/A	32
	468 B	Meota	N/A	285
	468 C	Meota	N/A	356
	498 A	Parkdale	NIL	373
	498 B	Parkdale	N/A	233
	499	Mervin	1	331
	501 A	Frenchman Butte	25	312
	501 B	Frenchman Butte	NIL	210
	501 C	Frenchman Butte	NIL	369
	561	Loon Lake	NIL	311
	588 A	Meadow Lake	N/A	307
	588 B	Meadow Lake	NIL	403
	588 C	Meadow Lake	13	476
	588 D	Meadow Lake	1	549
	622	Beaver River	NIL	258

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2011
To: September 5, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 3.0, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 7, 2011

Cropland Topsoil Moisture Conditions

September 6, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 7, 2011

Hay and Pasture Topsoil Moisture Conditions

September 6, 2011



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2011 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: September 7, 2011